

Praxis2Practice Consulting

Carolyn L. Winsor, BMus, BEd
Biological Healing Consultant



P.O. Box 100
Penticton
British Columbia
V2A 6J9 CANADA

Website: <https://praxis2practice.com/>
E-Mail: carolyn@praxis2practice.com



Representing all previous
OIRF publications.

*An exclusive **article for Praxis2Practice Supporters**,
published January 2022 by Praxis2Practice Consulting . . .*

Bio-resonance Therapist's Handbook

Appendix I

Covid-19 and Injections

By Marguerite Lane, ND

© Copyright 2021, Marguerite Lane, ND, Australia

Appendix I – Covid-19 and Injections¹

Anti-Spike Drops – contents

The most important intervention for quick relief and protection from the toxic spike proteins is the combination delineated in detail below. Please combine all of these remedies, feel free to add your own favourites, and make a master vial so that you can easily copy them for your clients.

My team and I have tested it on hundreds of people, and found it to be effective for every common symptom, and many unexpected symptoms, such as exacerbation of previous health problems, or pain at the site of old injuries.

Although there are many other things to discuss in the context of Covid and the associated injections, I am placing this information first, because in my opinion, it is the most important.

.

¹ I do not call them "vaccines", because true vaccines are protective and do not manipulate the DNA.

Homeopathic remedies

Thuja 30K
Quentakehl D3, D4, D5, D6
Ferrum phos 30K
Hamamelis injeel forte
Arnica D2, D4, 4CH
Crotalus horridus 30 K
Bothrops lanceolatus inj forte
Coenzyme compositum
Ubichinon compositum
Engystol
Echinacea compositum
Millefolium injeel forte
Calendula 200K
Mucokohl D3, D4, D5, D6, D7

Organ preps

Bone marrow
Nodi lymphatici
Thrombocytes
Erythrocytes
Vena cava
Vena saphena magna
Heart (Cor)
Lungs (Pulmo)
Spleen
Liver
Olfactory bulb
Cerebellum

Notes

The goal of this combination is to protect the most vulnerable organs and prevent or eliminate the most prominent adverse effects of the spike proteins (such as bleeding, clotting, shingles, inflammation)

Dose: 4 drops under the tongue before and/or after being around someone who has had the covid injections, or when symptoms present (headaches, dizziness, abdominal pain, bleeding, etc). Can be used preventatively.

For people who have been injected, take 4 drops under the tongue 2-3 times a day, or whenever symptoms present.

This is a work in progress. Feel free to make your own changes as more information becomes available.

Cerebrum
Epiphysis
Brain stem
Hypophysis
Hypothalamus
Limbic system
Spinal cord
Medulla oblongata
Substantia nigra
Thalamus
Testes
Ovaries

“A” mode vibrations (in MT1)

Ivermectin 12mg
AstraZeneca and Pfizer injections potentised to 30C (These were included before the BioKat test set update which includes all 4 of the covid injections. I have now added Abar vibrations of those patterns now that they are in the test sets.)

“Ai” mode

Covid-19 vaccine Moderna
Covid-19 vaccine BioNTech (Pfizer/Comirnaty)
Covid-19 vaccine AstraZeneca (Vaxzevria)
Covid-19 vaccine Johnson & Johnson (Janssen)
Graphene oxide

What if your loved one got the Covid injection?

This section will concentrate on the practicalities of how to stay in good health after the injection has come into your life, one way or another.

How to protect yourself from shedding

It seems that there are two main nanoparticles that are shed or otherwise transmitted to people who have not received the injections:

- Spike proteins, which attach to ACE2 receptors and cause inflammation and clots. Because the recipient of the injections has had their DNA modified to produce these proteins at any provocation, we (and they) will never know when they will shed or transmit the spike proteins to us.
Note: the Salk Institute has found that the spike proteins cause all of the Covid symptoms, even in the absence of any virus!² The so-called “variants” might simply be spike proteins being produced, rather than actual mutations.
- Graphene oxide, which becomes magnetic at body temperature. The DNA does not produce this, so it is only shed after the injection. It is not known if it continues to shed over a short or long period into the future. It is strongly suspected to interact with electromagnetic fields such as 5G. Booster shots are expected to make it more reactive.

We’re still gaining information, so I will have to update this document in the future, but at the moment, here are the best practices to protect yourself.

To protect from spike proteins (the little spikey bits that are shown sticking out of the central sphere, in every picture of the coronavirus)	Anti-spike drops (described above, page 2) twice a day (or more frequently, as needed) on each day that you are near a person who has had the injections, and any time you have unusual symptoms such as headaches, bleeding, bruising, dizziness, pain, or flu-like symptoms. And/or any of the following teas, for a total of 3 cups daily: • Dandelion leaf tea (we don’t know if Dandelion root tea will work) • Pine needle tea • Fennel seed tea Your immune system should eventually adapt, so you should be able to stop these in the future, but we don’t know how long that may take!
To break down graphene oxide	N-acetyl cysteine, 300-500 mg daily and you can slowly increase to 1,000 mg or more if magnets or other metals stick to your skin
To help you deal with emotions and stay calm	Lemon balm tea, Chamomile tea, St Johns Wort tablets or tincture, Rescue Remedy and homeopathic remedies such as Aconite (for anxiety)
Keep immune system strong	• Vitamin C 2000 mg twice a day • Vitamin D 1000 IU once or twice a day • Zinc 25-35 mg (elemental) twice a day with food • Quercetin 1 daily • N acetyl-cysteine 300-500 mg Also, do not wear masks, as these suppress the immune system.

² “In the new study, the researchers created a “pseudovirus” that was surrounded by SARS-CoV-2 classic crown of spike proteins, but did not contain any actual virus. Exposure to this pseudovirus resulted in damage to the lungs and arteries of an animal model—proving that the spike protein alone was enough to cause disease.” <https://www.salk.edu/news-release/the-novel-coronavirus-spike-protein-plays-additional-key-role-in-illness/> Accessed 23 August 2021.

How to help those who have received the injections

Those who have had the injections need to do all the things in the table above.

As I understand it, the graphene oxide can be broken down and there is probably no mechanism for it to reassemble (this is current knowledge but could be disproved in the future). Obviously, if a person has booster shots, they will need to take NAC again. We don't yet know how long it takes to break down the graphene oxide.

The spike proteins will be produced on and off for the rest of their lives (or until their DNA has been returned to its original state). They will need to constantly be alert for Covid symptoms, inflammation, bleeding, heart problems, and/or pain anywhere in their body. Immediately after the injection, the spike proteins go into the inner linings of the blood vessels, causing microclots in most people, as found by Dr. Charles Hoffe.³ Therefore, Ginkgo, Vitamin E, Vitamin B3 will help, as will homeopathic Arnica at low potency.

The spike proteins then accumulate in the ovaries, testes, spleen, lungs, heart and brain. Those seem to be the main accumulation sites, although they also go to the spinal cord, bone marrow and other tissues. They should take the anti-spike drops immediately if there is discomfort in any of these organs.

When the spike proteins go to the lungs, they can cause pulmonary artery hypertension, by making microclots in the capillaries that are meant to receive the de-oxygenated blood from the right side of the heart. If the heart is unable to pump the de-oxygenated blood into the lungs, the blood pressure on the right side goes up and fluid eventually accumulates in the abdomen as the heart wears out. Therefore, whenever a covid-injection recipient has their blood pressure tested, they must insist that it is measured on both the right arm as well as the left arm. If the pressure in the right side is higher, the physician needs to address this as a matter of urgency. Dr. Charles Hoffe says that his patients that have had this type of hypertension in the past have died within 3 years.

It has been found that latent viruses are being activated in some people who have had the injections. In particular, shingles and flu-like viruses are increasing. It is vital that they keep their Zinc, Vitamins C, D and Quercetin levels up, so that their immune system can repeatedly fight the spike proteins as well as the latent viruses which reactivate.

Much more information will come to light as the injections are tested on the world's population. I will update this document as I learn more.

³ Dr Charles Hoffe uses the D-dimer test to discover whether patients have formed microclots. He found 62% of his patients had formed them in the first 7 days after injection. He explains it in this 8-minute video: <https://www.bitchute.com/video/mZHA2u71pBwk/>

10-remedy homeopathic kit

I have created a small homeopathic kit, which you as a therapist can easily duplicate for your own clients. It is useful for people who have had the injections, those who have not had them, and those who are never exposed to anyone who has had them.

Homeopathy works by matching symptoms, regardless of where they originate, so this kit comes in very handy in everyday life. Each vial is a combination of homeopathic remedies to address certain symptoms and therefore can be used for many more symptoms than are indicated.

If a person has had any of the mRNA or Viral Vector Covid injections, spike proteins will be produced whenever the new DNA is triggered to produce them. This is expected to happen when the person is exposed to any virus (especially corona viruses), or when the person is exposed to spike proteins which have been shed from other people who are producing them.

The spike proteins produce all the symptoms of COVID-19. This was determined by the Salk Institute.

4

The dose is 3 pillules in a glass of water. Stir or swirl a few times. Sip the water every 5 minutes for as long as the symptoms persist. For life-threatening symptoms, do this on the way to the hospital.

The table below describes the ten vials in this kit.

Name / Keyword	Description
Bleeding	For bleeding that won't stop, anywhere in the body, including nosebleeds, haemorrhoids, menstrual bleeding.
Breath	Shortness of breath, or the feeling like you cannot get enough oxygen
Dizziness	Dizziness can also appear like clumsiness, and can occur due to lack of oxygen
Fatigue	When the immune system activates, it is allotted most of the energy, so be sure to supplement vitamin C, D and zinc when you feel tired.
Fear, anxiety	Fear and anxiety can present as rapid heartbeat and high blood pressure. This remedy should help with this, but keep in mind the Heart remedy as well.
Headache	All kinds of headaches and migraines
Heart	Heart symptoms can include congestive heart failure, heart attacks due to blood clots, high blood pressure.
Lungs, Cough	Cough, lung congestion, low oxygen saturation
Nausea	Nausea, insomnia due to nausea, abdominal pain
Shingles	Shingles and post-herpetic neuralgia

⁴ "In the new study, the researchers created a "pseudovirus" that was surrounded by SARS-CoV-2 classic crown of spike proteins, but did not contain any actual virus. Exposure to this pseudovirus resulted in damage to the lungs and arteries of an animal model—proving that the spike protein alone was enough to cause disease." <https://www.salk.edu/news-release/the-novel-coronavirus-spike-protein-plays-additional-key-role-in-illness/> Accessed 23 August 2021.

The contents of each remedy combination are listed below, so that you can assemble them yourself to make kits or remedies for your clients, even if you do not have training in homeopathy.

Name / Keyword	Remedies included in each combination (exact names from BioKat database)
Bleeding	Carbo Vegetabilis 200K, Millefolium-Injeel forte, Hamamelis Virginiana 200K, Aesculus Hippocast. 200K, Lachesis 200K, Calendula Officinalis 200K, Crotalus horridus D8, D10, D12, Arnica e planta tota D2, D4, D6, Arnica Montana 4CH, Phosphorus D8, Thlaspi Bursa Pastoris 4CH, Secale Cornutum 30K
Breath	Iron-phosphate D3, Ammonium Carbonicum 200K, Kalium Carbonicum 200K, Laurocerasus-Injeel forte
Dizziness	Iron-phosphate D3, D6, D12, Conium D3, D4, D5, D6, Bryonia 30K, 200K,
Fatigue	Carbo vegetabilis-Injeel forte, Gelsemium Sempervirens 200K, China Succiruba 200K, Iron-phosphate D3, D6, D12
Fear, Anxiety	Aconitum Napellus 200K, Argentum Nitricum 200K, Bryonia e radice D4, D8, D12, Calcium carbonicum-Hahnemanni C200, Rescue Remedy
Headache	Spigelia Anthelmia 200K, Sanguinaria Canadensis 200K, Iron-phosphate D3, D6, D12, Belladonna D5, D6, Cerebrum compositum ampoules
Heart	Aconitum Napellus 200K, Arnica e planta tota D2, D4, Arnica e radice D3, D6, Arnica D4, D5, D6, Sodium-chlorate D3, D6, D12, Sodium-sulphate D3, D6, D12, Cactus Grandiflorus 200K, Kalium Carbonicum 30K, Aurumheel N drops
Lungs, Cough	Hepar Sulfur 200K, Bryonia 30K, Lycopodium Clavatum 30K, Spongia Tosta 30K, Ipecacuanha D30, D60, Sambucus Nigra 30K, Hepar sulfuris D6, D8, D10, D12, Iron-phosphate D3, D6, D12
Nausea	Nux Vomica 30K, Tabacum 200K, Secale Cornutum 200K, Cocculus Indicus 30K, Ipecacuanha D60
Shingles	Quentakehl (various forms, in these potencies: D3, D4, D5, D6), Arsenicum Album 200K, Hypericum Perforatum 200K

Protocol for those who will have the Covid-19 injections

There are no guarantees in health, and most people realise that to undergo experimental genetic modifying technology is risky. This section should not give a false feeling of reassurance. At best, some of the damage can be mitigated. No one knows how much, but if you are forced to have the injections, it's better to do something to support the body, rather than just hoping for the best.

Before injection

- 2 weeks before to 2 weeks after: Immu-plus⁵ twice a day
- Day before injection: Bothrops 30 once
- Vitamin C 2000 mg twice a day
- Vitamin D 2000 IU twice a day
- Zinc 30-40 mg twice a day with food
- Quercetin 1 daily
- N acetyl-cysteine 1000 mg

Day of injection

- Camphora forte – one dose soon after injection
- Anti-spike drops – hourly after injection
- Vitamin C 2000 mg twice a day
- Vitamin D 2000 IU twice a day
- Zinc 30-40 mg twice a day with food
- Quercetin 1 daily
- N acetyl-cysteine 1000 mg

After injection

- For 5 days, then take on 5 Sundays: Bothrops 30 once a day
- Anti-spike drops twice a day (2nd dose 10 minutes **after** the Camphora forte)
- Camphora forte 1 dose each evening (10 minutes before the Anti-spike drops)
- Vitamin C 2000 mg twice a day
- Vitamin D 2000 IU twice a day
- Zinc 30-40 mg twice a day with food
- Quercetin 1 daily
- N acetyl-cysteine 1000 mg

Long term

- Anti-spike drops 2-3 times a day
- Vitamin C 2000 mg twice a day
- Vitamin D 2000 IU twice a day
- Zinc 30-40 mg twice a day with food
- Quercetin 1 daily
- N acetyl-cysteine 1000 mg

⁵ Immu-Plus is Organoimmune by Medicine Tree plus. Here's as close as I could get with the BioKat test sets: Aconite Homaccord (HA), Echinacea comp, Berberis inj forte, China 30, Coenzyme comp, Hydrastis D4, Immunaktiv, Lymphomyosot, Mucosa comp, Nux vomica HA, Pekana Apo-Hepat, Apo-Pulm, Mundipur, Tonsilla comp, Ubich comp, Iron-phos D3, Potassium phos D3, Mag phos D3, Agnus castus 4C, Cistus Canadensis spl, Thymus D4-D30, Lien D4-30, Medulla ossium suis inj fort, Nodi lymph D4-D30, Phytolacca D4-D12, Sanguis suit injeel forte.

If symptoms occur

Use the 10-remedy homeopathic kit for whatever symptoms arise. Note that symptoms could arise 6 months or more after the injections. You will need to stay alert for them, because your DNA will be triggered to create spike proteins at random times.

© Copyright 2021, Marguerite Lane, ND, Australia

Published by Praxis2Practice Consulting

P. O. Box 100, Penticton, BC V2A 6J9 Canada

Website: <https://praxis2practice.com/>

Email: carolyn@praxis2practice.com

